



## 5. EINSCHUB- & ANSTOßPROFILE / 5. INSERT PROFILES


Andere Eloxfarben siehe Abschnitt 6, Lieferzeit 14 Tage/  
other anodized colours see section 6, delivery time 14 days

Profi-Pack à 10 StUeck im Bund			
professional packing à 10 pcs.			
Farbe/colour	L / l (m)	Art./ref.	€/Stk./pcs.

SB-Pack incl. Schr./ DÜbel; VE 20 Stk.	
self-service-pack with screws/ dowels; à 20 pcs.	
Art./ref.	€/Stk./pcs.

### Einschubp. 8,5 mm mit Nase Laminat, Alu. Elo., geb. 105

nosed insert profile for laminate 8,5 mm, aluminium anodized, drilled




silberfarbig silver coloured	1,0	32140-8	8,22
silberfarbig silver coloured	2,7	32145-3	22,20
goldfarbiggold coloured	1,0	32155-2	8,50
goldfarbiggold coloured	2,7	32160-6	22,86
bronzef. Hell,bronze light	1,0	32170-5	8,96
bronzef. Hell,bronze light	2,7	32175-0	24,18
bronzef. Dunkel, bronze dark	1,0	32185-9	8,96
bronzef. Dunkel, bronze dark	2,7	32190-3	24,18
gold hell, gold light	1,0	62175-1	8,50
gold hell, gold light	2,7	62180-5	22,86

32141-5	9,02
32146-0	24,64
32156-9	9,28
32161-3	25,28
32171-2	9,76
32176-7	26,60
32186-6	9,76
32191-0	26,60
62190-4	9,28
62195-9	25,28

### Einschubp. 8,5 mm mit Nase 44mm Laminat, Alu. Elo., geb. 265

insert profile with 44 mm nose for laminate 8,5 mm, aluminium anodized, drilled



silberfarbig silver coloured	1,0	46234-7	13,32
silberfarbig silver coloured	2,7	46236-1	35,94
goldfarbiggold coloured	1,0	46248-4	13,88
goldfarbiggold coloured	2,7	46250-7	37,54
bronzef. Hell,bronze light	1,0	46262-0	15,28
bronzef. Hell,bronze light	2,7	46264-4	41,24
bronzef. Dunkel, bronze dark	1,0	46276-7	15,28
bronzef. Dunkel, bronze dark	2,7	46278-1	41,24
gold hell, gold light	1,0	46438-9	13,88
gold hell, gold light	2,7	46440-2	37,54

46240-8	14,10
46242-2	38,36
46254-5	14,68
46256-9	39,94
46268-2	16,08
46270-5	43,66
46282-8	16,08
46284-2	43,66
46442-6	14,68
46444-0	39,94

### Einschubp. 10mm mit Nase 44mm Parkett, Alu. Elo., geb. 427

insert profile with 44 mm nose for wooden floor 10 mm, aluminium anodized, drilled



silberfarbig silver coloured	1,0	67100-8	14,02
silberfarbig silver coloured	2,7	67102-2	37,84
goldfarbiggold coloured	1,0	67104-6	14,58
goldfarbiggold coloured	2,7	67106-0	39,40
bronzef. Hell,bronze light	1,0	67112-1	15,98
bronzef. Hell,bronze light	2,7	67114-5	43,14
bronzef. Dunkel, bronze dark	1,0	67116-9	15,98
bronzef. Dunkel, bronze dark	2,7	67118-3	43,14
gold hell, gold light	1,0	67108-4	14,58
gold hell, gold light	2,7	67110-7	39,40

67124-4	14,82
67126-8	40,24
67128-2	15,38
67130-5	41,78
67136-7	16,76
67138-1	45,50
67140-4	16,76
67142-8	45,50
67132-9	15,38
67134-3	41,78



Befestigungsschenkel ausklinken attachment flanges notched	Art./ref.	€/m
Befestigungsschenkel ausklinken und biegen attachment flanges notched and bent	22240-8	5,72
	auf Anfrage on reqUest	



## 5. EINSCHUB- & ANSTOßPROFILE / 5. INSERT PROFILES

Andere Eloxalfarben siehe Abschnitt 6, Lieferzeit 14 Tage/ other anodized colours see section 6, delivery time 14 days


Profi-Pack à 10 StUeck im Bund			
professional packing à 10 pcs.			
Farbe/colour	L / l (m)	Art./ref.	€/Stk./pcs.

SB-Pack incl. Schr./ DÜbel; VE 20 Stk.	
self-service-pack with screws/ dowels; à 20 pcs.	
Art./ref.	€/Stk./pcs.

### Einschubp. 10mm mit Nase 7mm Parkett, Alu. Elox., geb.

262

nosed insert profile for wooden floor 10 mm, aluminium anodized, drilled




silberfarbig silver coloured	1.0	46122-7	8.72
silberfarbig silver coloured	2.7	46124-1	23.60
goldfarbiggold coloured	1.0	46136-4	9.10
goldfarbiggold coloured	2.7	46138-8	24.64
bronzef. Hell, bronze light	1.0	46150-0	9.98
bronzef. Hell, bronze light	2.7	46152-4	26.98
bronzef. Dunkel, bronze dark	1.0	46164-7	9.98
bronzef. Dunkel, bronze dark	2.7	46166-1	26.98
gold hell, gold light	1.0	46448-8	9.10
gold hell, gold light	2.7	46450-1	24.64

46128-9	9.54
46130-2	26.02
46142-5	9.92
46144-9	27.04
46156-2	10.78
46158-6	29.40
46170-8	10.78
46172-2	29.40
46452-5	9.92
46454-9	27.04

### Einschubp. 13,3 mm mit Nase 7mm Parkett, Alu. Elox., geb.

263

nosed insert profile for wooden floor 13 mm, aluminium anodized, drilled




silberfarbig silver coloured	1.0	46178-4	9.44
silberfarbig silver coloured	2.7	46180-7	25.52
goldfarbiggold coloured	1.0	46192-0	9.80
goldfarbiggold coloured	2.7	46194-4	26.50
bronzef. Hell, bronze light	1.0	46206-4	10.68
bronzef. Hell, bronze light	2.7	46208-8	28.82
bronzef. Dunkel, bronze dark	1.0	46220-0	10.68
bronzef. Dunkel, bronze dark	2.7	46222-4	28.82
gold hell, gold light	1.0	46458-7	9.80
gold hell, gold light	2.7	46460-0	26.50

46184-5	10.26
46186-9	27.92
46198-2	10.62
46200-2	28.92
46212-5	11.48
46214-9	31.26
46226-2	11.48
46228-6	31.26
46462-4	10.62
46464-8	28.92

### Einschubp. 15,3 mm mit Nase 12mm Parkett, Alu. Elox., geb.

112

nosed insert profile for wooden floor 15 mm, aluminium anodized, drilled



silberfarbig silver coloured	1.0	37020-8	8.26
silberfarbig silver coloured	2.7	37030-7	22.30
goldfarbiggold coloured	1.0	37040-6	10.88
goldfarbiggold coloured	2.7	37050-5	29.40
bronzef. Hell, bronze light	1.0	37060-4	11.38
bronzef. Hell, bronze light	2.7	37070-3	30.72
bronzef. Dunkel, bronze dark	1.0	37080-2	11.38
bronzef. Dunkel, bronze dark	2.7	37090-1	30.72
gold hell, gold light	1.0	62210-9	10.88
gold hell, gold light	2.7	62215-4	29.40

37021-5	9.00
37031-4	24.60
37041-3	11.68
37051-2	31.82
37061-1	12.16
37071-0	33.14
37081-9	12.16
37091-8	33.14
62220-8	11.68
62230-7	31.82



Befestigungsschenkel ausklinken attachment flanges notched	Art./ref.	€/m
Befestigungsschenkel ausklinken und biegen attachment flanges notched and bent	22240-8	5.72
	auf Anfrage on request	

Art./ref.	€/m
22240-8	5.72
	auf Anfrage on request



## 5. EINSCHUB- & ANSTOßPROFILE/ 5. INSERT PROFILES


Andere Eloxalfarben siehe Abschnitt 6, Lieferzeit 14 Tage/  
other anodized colours see section 6, delivery time 14 days

Profi-Pack à 10 StUeck im Bund			
professional packing à 10 pcs.			
Farbe/colour	L / l (m)	Art./ref.	€/Stk./pcs.

SB-Pack incl. Schr./ DÜbel; VE 20 Stk.	
self-service-pack with screws/ dowels; à 20 pcs.	
Art./ref.	€/Stk./pcs.

### Treppen.Laminat 20 x 33 x 8,5 mm, Alu. Elox., 2 x geb. 101

stair nosing for laminate  
20 x 33 x 8,5 mm,  
aluminium anodized, 2 x drilled




silberfarbig silver coloured	<u>1.0</u>	<u>29100-8</u>	<u>13.28</u>
silberfarbig silver coloured	<u>2.5</u>	<u>29110-7</u>	<u>33.24</u>
goldfarbiggold coloured	<u>1.0</u>	<u>29115-2</u>	<u>13.82</u>
goldfarbiggold coloured	<u>2.5</u>	<u>29125-1</u>	<u>34.58</u>
bronzef. Hell,bronze light	<u>1.0</u>	<u>29130-5</u>	<u>14.92</u>
bronzef. Hell,bronze light	<u>2.5</u>	<u>29140-4</u>	<u>37.34</u>
bronzef. Dunkel, bronze dark	<u>1.0</u>	<u>29145-9</u>	<u>14.92</u>
bronzef. Dunkel, bronze dark	<u>2.5</u>	<u>29155-8</u>	<u>37.34</u>
gold hell, gold light	<u>1.0</u>	<u>62300-7</u>	<u>13.82</u>
gold hell, gold light	<u>2.5</u>	<u>62310-6</u>	<u>34.58</u>

<u>29101-5</u>	<u>14.08</u>
<u>29111-4</u>	<u>35.64</u>
<u>29116-9</u>	<u>14.62</u>
<u>29126-8</u>	<u>36.98</u>
<u>29131-2</u>	<u>15.74</u>
<u>29141-1</u>	<u>39.78</u>
<u>29146-6</u>	<u>15.74</u>
<u>29156-5</u>	<u>39.78</u>
<u>62315-1</u>	<u>14.58</u>
<u>62320-5</u>	<u>36.98</u>

### Treppen.Parkett 20 x 33 x 10 mm, Alu. Elox., 2 x geb. 259

stair nosing for parqUet  
20 x 33 x 10 mm,  
aluminium anodized, 2 x drilled




silberfarbig silver coloured	<u>1.0</u>	<u>46288-0</u>	<u>13.54</u>
silberfarbig silver coloured	<u>2.5</u>	<u>46290-3</u>	<u>33.84</u>
goldfarbiggold coloured	<u>1.0</u>	<u>46298-9</u>	<u>14.02</u>
goldfarbiggold coloured	<u>2.5</u>	<u>46300-9</u>	<u>35.04</u>
bronzef. Hell,bronze light	<u>1.0</u>	<u>46308-5</u>	<u>15.18</u>
bronzef. Hell,bronze light	<u>2.5</u>	<u>46310-8</u>	<u>37.98</u>
bronzef. Dunkel, bronze dark	<u>1.0</u>	<u>46318-4</u>	<u>15.18</u>
bronzef. Dunkel, bronze dark	<u>2.5</u>	<u>46320-7</u>	<u>37.98</u>
gold hell, gold light	<u>1.0</u>	<u>46408-2</u>	<u>14.02</u>
gold hell, gold light	<u>2.5</u>	<u>46410-5</u>	<u>35.04</u>

<u>46292-7</u>	<u>14.32</u>
<u>46294-1</u>	<u>36.28</u>
<u>46302-3</u>	<u>14.82</u>
<u>46304-7</u>	<u>37.44</u>
<u>46312-2</u>	<u>15.98</u>
<u>46314-6</u>	<u>40.38</u>
<u>46322-1</u>	<u>15.98</u>
<u>46324-5</u>	<u>40.38</u>
<u>46412-9</u>	<u>14.82</u>
<u>46414-3</u>	<u>37.44</u>

### Treppen.Parkett 20 x 33 x 13 mm, Alu. Elox., 2 x geb. 260

stair nosing for parqUet  
20 x 33 x 13 mm,  
aluminium anodized, 2 x drilled




silberfarbig silver coloured	<u>1.0</u>	<u>46328-3</u>	<u>14.42</u>
silberfarbig silver coloured	<u>2.5</u>	<u>46330-6</u>	<u>36.02</u>
goldfarbiggold coloured	<u>1.0</u>	<u>46338-2</u>	<u>14.92</u>
goldfarbiggold coloured	<u>2.5</u>	<u>46340-5</u>	<u>37.34</u>
bronzef. Hell,bronze light	<u>1.0</u>	<u>46348-1</u>	<u>16.16</u>
bronzef. Hell,bronze light	<u>2.5</u>	<u>46350-4</u>	<u>40.38</u>
bronzef. Dunkel, bronze dark	<u>1.0</u>	<u>46358-0</u>	<u>16.16</u>
bronzef. Dunkel, bronze dark	<u>2.5</u>	<u>46360-3</u>	<u>40.38</u>
gold hell, gold light	<u>1.0</u>	<u>46418-1</u>	<u>14.92</u>
gold hell, gold light	<u>2.5</u>	<u>46420-4</u>	<u>37.34</u>

<u>46332-0</u>	<u>15.22</u>
<u>46334-4</u>	<u>38.46</u>
<u>46342-9</u>	<u>15.74</u>
<u>46344-3</u>	<u>39.78</u>
<u>46352-8</u>	<u>16.96</u>
<u>46354-2</u>	<u>42.80</u>
<u>46362-7</u>	<u>16.96</u>
<u>46364-1</u>	<u>42.80</u>
<u>46422-8</u>	<u>15.74</u>
<u>46424-2</u>	<u>39.78</u>

### Treppen.Parkett 20 x 33 x 15 mm, Alu. Elox., 2 x geb. 261

stair nosing for parqUet  
20 x 33 x 15 mm,  
aluminium anodized,  
2 x drilled



silberfarbig silver coloured	<u>1.0</u>	<u>46368-9</u>	<u>14.80</u>
silberfarbig silver coloured	<u>2.5</u>	<u>46370-2</u>	<u>36.98</u>
goldfarbiggold coloured	<u>1.0</u>	<u>46378-8</u>	<u>15.32</u>
goldfarbiggold coloured	<u>2.5</u>	<u>46380-1</u>	<u>38.30</u>
bronzef. Hell,bronze light	<u>1.0</u>	<u>46388-7</u>	<u>16.18</u>
bronzef. Hell,bronze light	<u>2.5</u>	<u>46390-0</u>	<u>41.50</u>
bronzef. Dunkel, bronze dark	<u>1.0</u>	<u>46398-6</u>	<u>16.18</u>
bronzef. Dunkel, bronze dark	<u>2.5</u>	<u>46400-6</u>	<u>41.50</u>
gold hell, gold light	<u>1.0</u>	<u>46428-0</u>	<u>15.32</u>
gold hell, gold light	<u>2.5</u>	<u>46430-3</u>	<u>38.30</u>

<u>46372-6</u>	<u>15.58</u>
<u>46374-0</u>	<u>39.42</u>
<u>46382-5</u>	<u>16.14</u>
<u>46384-9</u>	<u>40.74</u>
<u>46392-4</u>	<u>17.42</u>
<u>46394-8</u>	<u>43.94</u>
<u>46402-0</u>	<u>17.42</u>
<u>46404-4</u>	<u>43.94</u>
<u>46432-7</u>	<u>16.14</u>
<u>46434-1</u>	<u>40.74</u>